

AHD HD Camera Price List

Notes:

1. Minimum Order Quantity(MOQ) is 50 pieces;
2. Small order(5pcs < Quantity <50pcs): the unit price add \$2;
3. Sample order(Quantity <=5pcs), the unit price add \$5;
4. All cameras don't include AC/DC adapter;
5. If the order total value < USD1,000, you need to pay additional charges (\$20-30).
6. We could update the price in any time and don't immediately notice you. Product picture is for reference only.

IR Dome AHD Camera

	Model	Chip Solution	Pixels	Resolution	Frames	Power	OSD	Housing	Water Proof	Size	Lens	IR Distance
	SAHD6910A	2432H+H42	1.0MP	1280*720	25fps	DC 12V	Optional	Plastic	X	60#	3.6mm	15-20m
	SAHD6910B	8902+T151	1.3MP	1280*960	25fps	DC 12V	Optional	Plastic	X	60#	3.6mm	15-20m
	SAHD6910C	2431H+0130	1.3MP	1280*960	25fps	DC 12V	Optional	Plastic	X	60#	3.6mm	15-20m
	SAHD6920A	2441+34227	2.0MP	1920*1080	25fps	DC 12V	Optional	Plastic	X	60#	3.6mm	15-20m
	SAHD6920B	2440+SONY322	2.0MP	1920*1080	25fps	DC 12V	Optional	Plastic	X	60#	3.6mm	15-20m
	Model	Chip Solution	Pixels	Resolution	Frames	Power	OSD	Housing	Water Proof	Size	Lens	IR Distance
	SAHD6S10A	2432H+H42	1.0MP	1280*720	25fps	DC 12V	Optional	Metal	IP66	60#	3.6mm	15-20m
	SAHD6S10B	8902+T151	1.3MP	1280*960	25fps	DC 12V	Optional	Metal	IP66	60#	3.6mm	15-20m
	SAHD6S10C	2431H+0130	1.3MP	1280*960	25fps	DC 12V	Optional	Metal	IP66	60#	3.6mm	15-20m
	SAHD6S20A	2441+34227	2.0MP	1920*1080	25fps	DC 12V	Optional	Metal	IP66	60#	3.6mm	15-20m
	SAHD6S20B	2440+SONY322	2.0MP	1920*1080	25fps	DC 12V	Optional	Metal	IP66	60#	3.6mm	15-20m
	Model	Chip Solution	Pixels	Resolution	Frames	Power	OSD	Housing	Water Proof	Size	Lens	IR Distance
	SAHD6G10A	2432H+H42	1.0MP	1280*720	25fps	DC 12V	Optional	Metal	IP66	60#	3.6mm	15-20m
	SAHD6G10B	8902+T151	1.3MP	1280*960	25fps	DC 12V	Optional	Metal	IP66	60#	3.6mm	15-20m
	SAHD6G10C	2431H+0130	1.3MP	1280*960	25fps	DC 12V	Optional	Metal	IP66	60#	3.6mm	15-20m
	SAHD6G20A	2441+34227	2.0MP	1920*1080	25fps	DC 12V	Optional	Metal	IP66	60#	3.6mm	15-20m
	SAHD6G20B	2440+SONY322	2.0MP	1920*1080	25fps	DC 12V	Optional	Metal	IP66	60#	3.6mm	15-20m
	Model	Chip Solution	Pixels	Resolution	Frames	Power	OSD	Housing	Water Proof	Size	Lens	IR Distance
	SAHD6E10A	2432H+H42	1.0MP	1280*720	25fps	DC 12V	Optional	Metal	IP66	60#	3.6mm	15-20m
	SAHD6E10B	8902+T151	1.3MP	1280*960	25fps	DC 12V	Optional	Metal	IP66	60#	3.6mm	15-20m
	SAHD6E10C	2431H+0130	1.3MP	1280*960	25fps	DC 12V	Optional	Metal	IP66	60#	3.6mm	15-20m
	SAHD6E20A	2441+34227	2.0MP	1920*1080	25fps	DC 12V	Optional	Metal	IP66	60#	3.6mm	15-20m
	SAHD6E20B	2440+SONY322	2.0MP	1920*1080	25fps	DC 12V	Optional	Metal	IP66	60#	3.6mm	15-20m
	Model	Chip Solution	Pixels	Resolution	Frames	Power	OSD	Housing	Water Proof	Size	Lens	IR Distance
	SAHD6310A	2432H+H42	1.0MP	1280*720	25fps	DC 12V	Optional	Vandal Proof	IP66	3.5"	3.6mm	10-15m
	SAHD6310B	8902+T151	1.3MP	1280*960	25fps	DC 12V	Optional	Vandal Proof	IP66	3.5"	3.6mm	10-15m
	SAHD6310C	2431H+0130	1.3MP	1280*960	25fps	DC 12V	Optional	Vandal Proof	IP66	3.5"	3.6mm	10-15m
	SAHD6320A	2441+34227	2.0MP	1920*1080	25fps	DC 12V	Optional	Vandal Proof	IP66	3.5"	3.6mm	10-15m
	SAHD6320B	2440+SONY322	2.0MP	1920*1080	25fps	DC 12V	Optional	Vandal Proof	IP66	3.5"	3.6mm	10-15m
	Model	Chip Solution	Pixels	Resolution	Frames	Power	OSD	Housing	Water Proof	Size	Lens	IR Distance
	SAHD6F10A	2432H+H42	1.0MP	1280*720	25fps	DC 12V	Optional	Vandal Proof	IP66	3.5"	4mm	10-15m
	SAHD6F10B	8902+T151	1.3MP	1280*960	25fps	DC 12V	Optional	Vandal Proof	IP66	3.5"	4mm	10-15m
	SAHD6F10C	2431H+0130	1.3MP	1280*960	25fps	DC 12V	Optional	Vandal Proof	IP66	3.5"	4mm	10-15m
	SAHD6F20A	2441+34227	2.0MP	1920*1080	25fps	DC 12V	Optional	Vandal Proof	IP66	3.5"	4mm	10-15m
	SAHD6F20B	2440+SONY322	2.0MP	1920*1080	25fps	DC 12V	Optional	Vandal Proof	IP66	3.5"	4mm	10-15m
	Model	Chip Solution	Pixels	Resolution	Frames	Power	OSD	Housing	Water Proof	Size	Lens	IR Distance



SAHD6J10A	2432H+H42	1.0MP	1280*720	25fps	DC 12V	Optional	Vandal Proof	IP66	3.5"	2.8-12mm	15-20m
SAHD6J10B	8902+T151	1.3MP	1280*960	25fps	DC 12V	Optional	Vandal Proof	IP66	3.5"	2.8-12mm	15-20m
SAHD6J10C	2431H+0130	1.3MP	1280*960	25fps	DC 12V	Optional	Vandal Proof	IP66	3.5"	2.8-12mm	15-20m
SAHD6J20A	2441+34227	2.0MP	1920*1080	25fps	DC 12V	Optional	Vandal Proof	IP66	3.5"	2.8-12mm	15-20m
SAHD6J20B	2440+SONY322	2.0MP	1920*1080	25fps	DC 12V	Optional	Vandal Proof	IP66	3.5"	2.8-12mm	15-20m

IR Bullet AHD Camera

	Model	Chip Solution	Pixels	Resolution	Frames	Power	OSD	Housing	Water Proof	Size	Lens	IR Distance
	SAHD6810A	2432H+H42	1.0MP	1280*720	25fps	DC 12V	Optional	Metal	IP66	60#	3.6mm	15-20m
	SAHD6810B	8902+T151	1.3MP	1280*960	25fps	DC 12V	Optional	Metal	IP66	60#	3.6mm	15-20m
	SAHD6810C	2431H+0130	1.3MP	1280*960	25fps	DC 12V	Optional	Metal	IP66	60#	3.6mm	15-20m
	SAHD6820A	2441+34227	2.0MP	1920*1080	25fps	DC 12V	Optional	Metal	IP66	60#	3.6mm	15-20m
	SAHD6820B	2440+SONY322	2.0MP	1920*1080	25fps	DC 12V	Optional	Metal	IP66	60#	3.6mm	15-20m
	Model	Chip Solution	Pixels	Resolution	Frames	Power	OSD	Housing	Water Proof	Size	Lens	IR Distance
	SAHD6110A	2432H+H42	1.0MP	1280*720	25fps	DC 12V	Optional	Metal	IP66	60#	3.6mm	15-20m
	SAHD6110B	8902+T151	1.3MP	1280*960	25fps	DC 12V	Optional	Metal	IP66	60#	3.6mm	15-20m
	SAHD6110C	2431H+0130	1.3MP	1280*960	25fps	DC 12V	Optional	Metal	IP66	60#	3.6mm	15-20m
	SAHD6120A	2441+34227	2.0MP	1920*1080	25fps	DC 12V	Optional	Metal	IP66	60#	3.6mm	15-20m
	SAHD6120B	2440+SONY322	2.0MP	1920*1080	25fps	DC 12V	Optional	Metal	IP66	60#	3.6mm	15-20m
	Model	Chip Solution	Pixels	Resolution	Frames	Power	OSD	Housing	Water Proof	Size	Lens	IR Distance
	SAHD6B10A	2432H+H42	1.0MP	1280*720	25fps	DC 12V	Optional	Metal	IP66	60#	3.6mm	15-20m
	SAHD6B10B	8902+T151	1.3MP	1280*960	25fps	DC 12V	Optional	Metal	IP66	60#	3.6mm	15-20m
	SAHD6B10C	2431H+0130	1.3MP	1280*960	25fps	DC 12V	Optional	Metal	IP66	60#	3.6mm	15-20m
	SAHD6B20A	2441+34227	2.0MP	1920*1080	25fps	DC 12V	Optional	Metal	IP66	60#	3.6mm	15-20m
	SAHD6B20B	2440+SONY322	2.0MP	1920*1080	25fps	DC 12V	Optional	Metal	IP66	60#	3.6mm	15-20m
	Model	Chip Solution	Pixels	Resolution	Frames	Power	OSD	Housing	Water Proof	Size	Lens	IR Distance
	SAHD6C10A	2432H+H42	1.0MP	1280*720	25fps	DC 12V	Optional	Metal	IP66	60#	3.6mm	20-25m
	SAHD6C10B	8902+T151	1.3MP	1280*960	25fps	DC 12V	Optional	Metal	IP66	60#	3.6mm	20-25m
	SAHD6C10C	2431H+0130	1.3MP	1280*960	25fps	DC 12V	Optional	Metal	IP66	60#	3.6mm	20-25m
	SAHD6C20A	2441+34227	2.0MP	1920*1080	25fps	DC 12V	Optional	Metal	IP66	60#	3.6mm	20-25m
	SAHD6C20B	2440+SONY322	2.0MP	1920*1080	25fps	DC 12V	Optional	Metal	IP66	60#	3.6mm	20-25m
	Model	Chip Solution	Pixels	Resolution	Frames	Power	OSD	Housing	Water Proof	Size	Lens	IR Distance
	SAHD6A10A	2432H+H42	1.0MP	1280*720	25fps	DC 12V	Optional	Metal	IP66	60#	3.6mm	20-25m
	SAHD6A10B	8902+T151	1.3MP	1280*960	25fps	DC 12V	Optional	Metal	IP66	60#	3.6mm	20-25m
	SAHD6A10C	2431H+0130	1.3MP	1280*960	25fps	DC 12V	Optional	Metal	IP66	60#	3.6mm	20-25m
	SAHD6A20A	2441+34227	2.0MP	1920*1080	25fps	DC 12V	Optional	Metal	IP66	60#	3.6mm	20-25m
	SAHD6A20B	2440+SONY322	2.0MP	1920*1080	25fps	DC 12V	Optional	Metal	IP66	60#	3.6mm	20-25m
	Model	Chip Solution	Pixels	Resolution	Frames	Power	OSD	Housing	Water Proof	Size	Lens	IR Distance
	SAHD6L10A	2432H+H42	1.0MP	1280*720	25fps	DC 12V	Optional	Metal	IP66	60#	4mm	40-45m
	SAHD6L10B	8902+T151	1.3MP	1280*960	25fps	DC 12V	Optional	Metal	IP66	60#	4mm	40-45m
	SAHD6L10C	2431H+0130	1.3MP	1280*960	25fps	DC 12V	Optional	Metal	IP66	60#	4mm	40-45m
	SAHD6L20A	2441+34227	2.0MP	1920*1080	25fps	DC 12V	Optional	Metal	IP66	60#	4mm	40-45m
	SAHD6L20B	2440+SONY322	2.0MP	1920*1080	25fps	DC 12V	Optional	Metal	IP66	60#	4mm	40-45m
	Model	Chip Solution	Pixels	Resolution	Frames	Power	OSD	Housing	Water Proof	Size	Lens	IR Distance
	SAHD6410A	2432H+H42	1.0MP	1280*720	25fps	DC 12V	Optional	Metal	IP66	60#	2.8-12mm	30-35m
	SAHD6410B	8902+T151	1.3MP	1280*960	25fps	DC 12V	Optional	Metal	IP66	60#	2.8-12mm	30-35m
	SAHD6410C	2431H+0130	1.3MP	1280*960	25fps	DC 12V	Optional	Metal	IP66	60#	2.8-12mm	30-35m
	SAHD6420A	2441+34227	2.0MP	1920*1080	25fps	DC 12V	Optional	Metal	IP66	60#	2.8-12mm	30-35m
	SAHD6420B	2440+SONY322	2.0MP	1920*1080	25fps	DC 12V	Optional	Metal	IP66	60#	2.8-12mm	30-35m
	Model	Chip Solution	Pixels	Resolution	Frames	Power	OSD	Housing	Water Proof	Size	Lens	IR Distance

 	SAHD6D10A	2432H+H42	1.0MP	1280*720	25fps	DC 12V	Optional	Metal	IP66	60#	2.8-12mm	30-35m
	SAHD6D10B	8902+T151	1.3MP	1280*960	25fps	DC 12V	Optional	Metal	IP66	60#	2.8-12mm	30-35m
	SAHD6D10C	2431H+0130	1.3MP	1280*960	25fps	DC 12V	Optional	Metal	IP66	60#	2.8-12mm	30-35m
	SAHD6D20A	2441+34227	2.0MP	1920*1080	25fps	DC 12V	Optional	Metal	IP66	60#	2.8-12mm	30-35m
	SAHD6D20B	2440+SONY322	2.0MP	1920*1080	25fps	DC 12V	Optional	Metal	IP66	60#	2.8-12mm	30-35m
	Model	Chip Solution	Pixels	Resolution	Frames	Power	OSD	Housing	Water Proof	Size	Lens	IR Distance
	SAHD6010B	8902+T151	1.3MP	1280*960	25fps	DC 12V	Optional	Metal	IP66	60#	2.8-12mm	30-35m
	SAHD6010C	2431H+0130	1.3MP	1280*960	25fps	DC 12V	Optional	Metal	IP66	60#	2.8-12mm	30-35m
	SAHD6020A	2441+34227	2.0MP	1920*1080	25fps	DC 12V	Optional	Metal	IP66	60#	2.8-12mm	30-35m
	SAHD6020B	2440+SONY322	2.0MP	1920*1080	25fps	DC 12V	Optional	Metal	IP66	60#	2.8-12mm	30-35m